

Permeable Supports Product Selection Guide

Including Transwell® and Falcon® Cell Culture Inserts

CORNING



About Corning® Permeable Supports


Permeable supports, also known as cell culture inserts, are an essential tool for the study of both anchorage-dependent and independent cell lines.

You can use cell culture inserts to:

- ▶ Produce a cell culture environment that closely resembles an *in vivo* state
- ▶ Allow polarized cells to carry out metabolic activities in a more natural manner because the cells feed both apically and basolaterally
- ▶ Co-culture cells with or without cell-to-cell contact
- ▶ Design a diversity of experiments using various pore sizes, membrane types, and coatings

This selection guide will help you choose the right combination of membrane type, pore size, format, and surface treatment to create a cell culture environment that more closely mimics the *in vivo* environment you desire.

Create a More Natural Environment for Your Cells



The unique, self-centered hanging design of Transwell inserts prevents medium wicking between the insert and outer well. The design also permits access to the lower compartment through windows in the insert wall, as well as undamaged co-culturing of cells in the lower compartment.

Transwell® Permeable Supports: a Laboratory Standard

Transwell inserts are convenient, ready-to-use permeable support devices pre-packaged in standard multiple well plates. The unique, self-centered hanging design prevents medium wicking between the insert and outer well. Transwell inserts are available in a wide variety of sizes, membrane types, and configurations, and they are backed by extensive citations, protocols, and technical support—all of which has helped to make them the leading brand of cell culture insert for more than 25 years.

Falcon® and Corning® BioCoat™ Inserts: Giving You More Choices

With Falcon and BioCoat inserts, Corning offers an even broader line of permeable support research tools, including Corning FluoroBlok™ light-blocking inserts and systems for migration assays, as well as BioCoat ECM-coated inserts for enhanced cell attachment, growth, and differentiation.

Falcon inserts are offered in polyester (PET) membranes and come individually packaged in a variety of pore sizes and configurations. For best results, Falcon, BioCoat, and FluoroBlok inserts should be used only with Falcon cell culture companion plates. These plates allow for a two-position orientation of the inserts for feeding and incubation of cells.

How to Use this Guide

Follow these four steps to select the optimal insert for your research.

1. Select a Membrane

Permeable supports are available with three materials of construction:

PC (Polycarbonate)

Transwell® permeable supports are available in a broad range of pore sizes from 0.4 to 8.0 µm. This high pore density membrane is suitable for a variety of applications. It allows for maximum diffusion when studying transport, secretions, or drug uptake.

PET (Polyester or Polyethylene Terephthalate)

Several PET membrane types are available:

- ▶ Transwell-clear and Falcon® transparent PET inserts permit sufficient optical transparency for visualization of cell outlines by phase contrast microscopy.
- ▶ Falcon high density (HD) PET membranes have a high pore density, which allows maximum diffusion of materials between the insert and receiver plate.
- ▶ Corning FluoroBlok™ light-blocking PET membrane is also available for simplified cell-based assays. This unique membrane blocks >99% of light transmission from 400 to 700 nm and is ideal for both endpoint and kinetic cell invasion, migration, and chemotaxis assays.

PTFE (Polytetrafluoroethylene)

Collagen-coated PTFE membranes are available in limited pore sizes (0.4 and 3.0 µm). These coated membranes promote cell attachment and allow cells to be visualized during culture.

Consult the product specification tables on the following pages for more information.

2. Select a Pore Size

In general, smaller pore sizes (0.4 and 1.0 µm) are used for culturing cells, co-culture applications, and drug transport studies. Larger pore sizes (3.0 to 8.0 µm) are recommended for chemotaxis and angiogenesis applications. Please refer to the Applications guide below for more information.

| Application | Cell Type | Pore Size (µm) |
|---|---|----------------|
| Angiogenesis | Endothelial, HMVEC, HUVEC | 3.0 |
| Co-culture | Stem, neuronal, and various others | 0.4, 1.0 |
| Epithelial Cell Polarity | Epithelial cells | 0.4 |
| Migration | Endothelial, HUVEC, HMVEC | 3.0 |
| | Neutrophils, PMNs | 3.0 |
| | Lymphocytes, macrophages, monocytes | 3.0, 5.0 |
| | Neuronal cells | 3.0 |
| | Dendritic cells | 3.0, 5.0, 8.0 |
| | Neurite outgrowth | 1.0, 3.0 |
| | Epithelial fibroblasts | 8.0 |
| | Leukocytes | 3.0, 5.0 |
| Invasion | Smooth muscle | 8.0 |
| | Melanoma | 8.0 |
| | Glioma | 8.0 |
| | Lymphoma, Jurkat | 5.0, 8.0 |
| | Osteoblasts | 8.0 |
| | Breast cancer | 5.0, 8.0 |
| Tissue Engineering/Air-Liquid Interface | Endothelial | 3.0, 5.0, 8.0 |
| | Human skin model: Airway epithelial cells, disease model (e.g., COVID-19) | 0.4, 3.0 |
| Toxicity Testing | Mouse fibroblasts | 3.0 |
| | Human lung | 0.4 |
| Organoid | Kidney | 0.4 |
| Transport and Permeability Studies | Caco-2 | 0.4, 1.0 |
| | MDCK | 0.4, 1.0 |

How to Use this Guide (continued)

3. Select a Format

- ▶ Individual inserts are used with 6-, 12-, and 24-well plates. A large, single-well format is also available in a 100 mm dish.
- ▶ HTS insert plates are available in either 24- or 96-well formats with special receiver plates and single-well reservoirs to facilitate automation and ease of handling.
- ▶ Snapwell™ inserts are designed for use with diffusion or Ussing chambers.
- ▶ Netwell™ inserts are used as tissue carriers or explants at the air-media interface. The inserts are available in 6- or 12-well plates.

Growth Area Guide for Transwell® Inserts

| Insert Diameter (mm)* | Multiple Well Plate or Dish Style | Insert Membrane Growth Area (cm ²) |
|-----------------------|-----------------------------------|--|
| 4.26 | 96-well | 0.143 |
| 6.5 | 24-well | 0.33 |
| 12 | 12-well | 1.12 |
| 24 | 6-well | 4.67 |
| 75 | 100 mm dish | 44 |

Growth Area Guide for Falcon®, Corning® FluoroBlok™, and Corning BioCoat™ Inserts

| Insert Diameter (mm)* | Multiple Well Plate or Dish Style | Insert Membrane Growth Area (cm ²) |
|-----------------------|-----------------------------------|--|
| 3.2 | 96-well | 0.08 |
| 6.4 | 24-well | 0.31/0.33** |
| 10.5 | 12-well | 0.90 |
| 23.1 | 6-well | 4.2 |

*Values are reported as nominal and may vary due to inherent variability of our manufacturing process. To ensure success, we recommend that researchers validate their methods independent from our reported values.

**24 HTS Multiwell

4. Select a Surface Treatment

For many applications, an extracellular matrix (ECM) coating can improve cell attachment, differentiation, and signaling. Compared to self-coated inserts, pre-coated Corning BioCoat inserts reduce handling steps and can enhance data reproducibility. Consult the BioCoat insert selection guide for more information. Custom coatings and configurations are also available. If you don't see what you need, please contact Corning for more information. You'll find contact information on the back cover of this brochure.

Individual Inserts



24 and 6.5 mm Transwell inserts

Corning offers four types of individual inserts:

- ▶ Transwell® Polycarbonate (PC) translucent inserts are treated for optimal cell attachment. They are available in a variety of pore sizes ranging from 0.4 to 8.0 μm .
- ▶ Transwell-clear inserts feature a microscopically transparent polyester (PET) membrane that is tissue culture (TC)-treated for optimal cell attachment and growth. Transwell-Clear inserts provide better cell visibility under phase contrast microscopy and allow assessment of cell viability and monolayer formation.
- ▶ Individual Falcon® inserts are available with standard transparent PET, as well as high pore-density translucent PET for maximum diffusion when studying transport, secretion, and drug uptake.
- ▶ Light-blocking PET (see Corning® FluoroBlok™ Inserts for more information).

Characteristics of Transwell Inserts

| Pore Size (μm) | 0.4 | 0.4 | 3.0 | 3.0 | 5.0 | 8.0 | 8.0 |
|-----------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Membrane | PET | PC | PET | PC | PC | PC | PET |
| Pore Density | 4×10^6 | 1×10^8 | 2×10^6 | 2×10^6 | 4×10^5 | 1×10^5 | 1×10^5 |
| Opacity | Clear | Translucent | Clear | Translucent | Translucent | Translucent | Clear |
| 1-well | | ■ | | ■ | | | |
| 6-well | ■ | ■ | ■ | ■ | | | |
| 12-well | ■ | ■ | ■ | ■ | | | |
| 24-well | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| Ordering Information | Page 9 | Page 9 | Page 9 | Page 9 | Page 9 | Page 9 | Page 9 |

Characteristics of Falcon and Corning BioCoat Inserts

| Pore Size (μm) | 0.4 | 0.4 | 1.0 | 3.0 | 3.0 | 8.0 |
|-----------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Membrane | PET | PET | PET | PET | PET | PET |
| Pore Density | 2×10^6 | 1×10^8 | 2×10^6 | 6×10^5 | 2×10^6 | 6×10^4 |
| Opacity | Clear | Translucent | Clear | Clear | Translucent | Clear |
| 1-well | | | | | | |
| 6-well | ■ | ■ | ■ | ■ | ■ | ■ |
| 12-well | ■ | ■ | ■ | ■ | ■ | ■ |
| 24-well | ■ | ■ | ■ | ■ | ■ | ■ |
| Ordering Information | Page 9, 10 | Page 9, 10 | Page 9, 10 | Page 9, 10 | Page 9, 10 | Page 9, 10 |

For best results, Falcon cell culture and Corning BioCoat inserts should be used together with Falcon cell culture companion plates. Falcon cell culture insert companion plates have been specially designed to reduce the risk of evaporation or contamination due to improper fit. (See ordering information).

Individual Inserts (continued)



Corning FluoroBlok 6.5 mm insert

Corning® FluoroBlok™ Inserts

Corning FluoroBlok cell culture inserts are designed with a light-tight PET membrane that efficiently blocks the transmission of light from 400 to 700 nm, allowing fluorescence detection in a simplified and non-destructive manner.

Fluorescently labeled cells in the top chamber of the insert are shielded from bottom-reading fluorescence plate readers and microscopes by the FluoroBlok membrane. Labeled cells that migrate through the membrane are easily detected by a bottom-reading fluorescence plate reader, thereby eliminating cell scraping and manual cell counting. This non-destructive detection method enables both kinetic and endpoint chemotactic assays. **(NOTE: Falcon® inserts do not come with companion receiver plates. See the ordering information for companion plate catalog numbers.)**

Characteristics of Corning FluoroBlok Inserts

| Pore Size (µm) | 3.0 | 8.0 |
|----------------------------|--------------------|--------------------|
| Membrane | Light-blocking PET | Light-blocking PET |
| Pore Density | 6×10^5 | 6×10^4 |
| Inserts for 24-well Plates | ■ | ■ |
| Ordering Information | Page 10 | Page 10 |

Snapwell™ Inserts

The Snapwell insert is a modified Transwell® culture insert that contains a 12 mm diameter tissue culture-treated membrane supported by a detachable ring. The inserts are primarily used for transport and electrophysiological studies. Once cells are grown to confluence, this ring-supported membrane can be placed into either vertical or horizontal diffusion or Ussing chambers.

Characteristics of Snapwell Insert Membranes

| Pore Size (µm) | 0.4 | 0.4 |
|---------------------------|-----------------|-----------------|
| Membrane | PET | PC |
| Pore Density | 4×10^6 | 1×10^8 |
| Opacity | Clear | Translucent |
| Inserts for 6-well Plates | ■ | ■ |
| Ordering Information | Page 10 | Page 10 |



Polycarbonate Snapwell inserts



Polyester Snapwell inserts

Netwell™ Inserts

Netwell inserts have polyester (PET) mesh bottoms attached to a polystyrene ring or housing. They are used as tissue carriers, supports and strainers for culture of small organs, tissue slices, or explants at the air-media interface. They can be used to coarse filter tissue homogenates, cell suspensions, or microcarriers. Accessories allow them to be used as a handy carrier for immunocytochemical staining of tissue culture slices. See the ordering information for Netwell accessories.

Characteristics of Netwell Inserts

| Mesh Size (µm) | 74 | 440 |
|-----------------------------------|---------|---------|
| Mesh Material | PET | PET |
| Sterile | Yes | Yes |
| Inserts for 6- and 24-well Plates | ■ | ■ |
| Ordering Information | Page 10 | Page 10 |



Polyester Netwell inserts

Individual Inserts (continued)

ECM Coated Inserts

Corning® BioCoat™ cell culture inserts are pre-coated with extracellular matrix proteins for applications requiring a protein-coated cell surface, such as cell differentiation, migration and invasion assays. Coatings include Corning Matrigel® matrix, Fibronectin, or Collagen.

For example, cell culture inserts coated with Fibrillar Collagen I can establish the barrier function of intestinal epithelial cell monolayers (Caco-2). Inserts coated with Matrigel matrix are frequently cited for *in vitro* cell invasion assays.

Characteristics of Corning Coated Inserts

| Corning BioCoat Inserts | | | |
|-------------------------|------------|------------|------------|
| Pore Size (µm) | 0.4 | 1.0 | 8.0 |
| Membrane | PET | PET | PET |
| Coating: | | | |
| Collagen I | ■ | | |
| Fibrillar Collagen | | ■ | |
| Fibronectin | | | |
| Matrigel Matrix | | | ■ |
| Matrigel GFR | | | ■ |
| Ordering Information | Page 10 | Page 10 | Page 10 |

| Corning BioCoat Control Inserts | | |
|---------------------------------|---------------------|---------------------|
| Pore Size (µm) | 0.4 | 8.0 |
| Membrane | PET | PET |
| Pore Density | 2 x 10 ⁶ | 6 x 10 ⁴ |
| Opacity | Clear | Clear |
| 24-well | ■ | ■ |
| Ordering Information | Page 10 | Page 10 |

Corning BioCoat control cell culture inserts are packaged ready-to-use in Falcon® cell culture insert companion plates. They may be used as control inserts along side ECM-treated inserts while studying effects of the ECM component present on the Corning BioCoat cell culture inserts.


| Transwell® Coated Inserts | |
|---------------------------|------------|
| Pore Size (µm) | 0.4 |
| Membrane | PTFE |
| Coating: | |
| Collagen I and III Mix | ■ |
| 6-well | ■ |
| 12-well | ■ |
| 24-well | ■ |
| Ordering Information | Pages 11 |

Transwell-COL inserts have a transparent (when wet) collagen-treated PTFE membrane that promotes cell attachment and spreading, while allowing cells to be visualized during culture. The coating process covers each fibril of the matrix, thereby retaining the porosity of the membrane.

HTS Insert Plates

HTS insert plates are arrays of individual cell culture inserts connected by a rigid, robotics-friendly holder. This single-unit design makes insert plates ideal for running automated, high throughput drug transport (Caco-2 cells) cell toxicity studies or cell migration and invasion studies.

Characteristics of Uncoated HTS Insert Plates



HTS Transwell insert plates



Falcon HTS insert plates

| Uncoated Transwell® HTS Insert Plates | | | | | | |
|---------------------------------------|---------------------|---------------------|-----------------------|---------------------|---------------------|---------------------|
| Pore Size (µm) | 0.4 | 0.4 | 1.0 | 3.0 | 5.0 | 8.0 |
| Membrane | PET | PC | PET | PC | PC | PET |
| Pore Density | 4 x 10 ⁶ | 1 x 10 ⁸ | 1.6 x 10 ⁶ | 2 x 10 ⁶ | 4 x 10 ⁵ | 1 x 10 ⁵ |
| Opacity | Clear | Translucent | Clear | Translucent | Translucent | Clear |
| 24-well | ■ | ■ | ■ | ■ | | |
| 96-well | | ■ | ■ | ■ | ■ | ■ |
| Ordering Information | Page 11 | Page 11 | Page 11 | Page 11 | Page 11 | Page 11 |

| Uncoated Falcon® HTS Insert Plates | | | | | |
|------------------------------------|-----------------------|---------------------|---------------------|---------------------|---------------------|
| Pore Size (µm) | 1.0 | 3.0 | 3.0 | 8.0 | 8.0 |
| Membrane | PET | PET | FluoroBlok™ | PET | FluoroBlok |
| Pore Density | 1.8 x 10 ⁶ | 6 x 10 ⁵ | 6 x 10 ⁵ | 6 x 10 ⁴ | 6 x 10 ⁴ |
| Opacity | Clear | Clear | Light-blocking | Clear | Light-blocking |
| 24-well | ■ | ■ | ■ | ■ | ■ |
| 96-well | ■ | | ■ | ■ | ■ |
| Ordering Information | Page 11, 12 | Page 11, 12 | Page 11, 12 | Page 11, 12 | Page 11, 12 |

Characteristics of Coated HTS Insert Plates

| Coated Corning® HTS Insert Plates | | | | | | |
|-----------------------------------|----------|-----------------------|---------------------|---|--|---|
| Pore Size (µm) | 0.4 | 1.0 | 3.0 | 3.0 | 3.0 | 8.0 |
| Membrane | PAMPA | PET | PET | FluoroBlok | FluoroBlok | FluoroBlok |
| Coatings | | | | | | |
| Fibrillar Collagen I | | ■ | | | | |
| Fibronectin | | | ■ | ■ | | |
| Corning® Matrigel® Matrix | | | | | ■ | ■ |
| Phospholipids | ■ | | | | | |
| Pore Density | – | 1.8 x 10 ⁶ | 6 x 10 ⁵ | 6 x 10 ⁵ | 6 x 10 ⁵ | 6 x 10 ⁴ |
| Brand | BioCoat™ | BioCoat | BioCoat | BioCoat | BioCoat | BioCoat |
| System | | | | Angiogenesis cell migration system ^a | Angiogenesis cell invasion system ^b | Tumor cell invasion system ^c |
| 24-well | | ■ | ■ | ■ | ■ | ■ |
| 96-well | ■ | | | ■ | | ■ |
| Ordering Information | Page 12 | Page 12 | Page 12 | Page 12 | Page 12 | Page 12 |

^a Angiogenesis cell migration system: Use to evaluate endothelial cell invasion using real-time fluorescence detection in a simplified and reproducible manner. Increase screening throughput for prospective pro- and anti-angiogenic compounds. Tested for its ability to allow invasion of HUVEC cells in response to VEGF. This system consists of a receiver plate, a lid, and a Falcon multiwell insert plate with 3.0 µm Corning FluoroBlok membrane coated with human Fibronectin.

^b Angiogenesis cell invasion system: A quantitative and reproducible *in vitro* model system for examining the effects of prospective compounds on endothelial cell migration. Tested for its ability to allow invasion of HMVEC-1 cells and to exclude invasion of NIH-3T3 cells. This system consists of a receiver plate, a lid, and a Falcon multiwell insert plate with 3.0 µm FluoroBlok membrane coated with Matrigel matrix.

^c Tumor cell invasion system: An *in vitro* system for the study of cell invasion through a basement membrane. The system consists of Falcon inserts containing an 8 µm pore size PET membrane coated with a uniform layer of Matrigel matrix.

Ordering Information

Uncoated Individual Inserts

Transwell® Permeable Supports, Polycarbonate (PC) Membrane

| Cat. No. | Description | Membrane Diameter (mm) | Growth Surface Area (cm ²) | Membrane Pore Size (µm) | Qty/Pk | Qty/Cs |
|----------|---------------------------|------------------------|--|-------------------------|-----------|--------|
| 3412 | Inserts in 6-well plates | 24 | 4.67 | 0.4 | 6/plate | 24 |
| 3414 | Inserts in 6-well plates | 24 | 4.67 | 3.0 | 6/plate | 24 |
| 3428 | Inserts in 6-well plates | 24 | 4.67 | 8.0 | 6/plate | 24 |
| 3401 | Inserts in 12-well plates | 12 | 1.12 | 0.4 | 12/plate | 48 |
| 3402 | Inserts in 12-well plates | 12 | 1.12 | 3.0 | 12/plate | 48 |
| 3413 | Inserts in 24-well plates | 6.5 | 0.33 | 0.4 | 12/plate* | 48 |
| 3415 | Inserts in 24-well plates | 6.5 | 0.33 | 3.0 | 12/plate* | 48 |
| 3421 | Inserts in 24-well plates | 6.5 | 0.33 | 5.0 | 12/plate* | 48 |
| 3422 | Inserts in 24-well plates | 6.5 | 0.33 | 8.0 | 12/plate* | 48 |
| 7910 | Inserts in 100 mm dish | 75 | 44 | 0.4 | 1/dish | 12 |
| 3420 | Inserts in 100 mm dish | 75 | 44 | 3.0 | 1/dish | 12 |

*6.5 mm membrane diameter are packaged 12 inserts in a 24-well plate, 4 plates per case.

Transwell-Clear Inserts, Polyester (PET) membrane

| | | | | | | |
|------|---------------------------|-----|------|-----|-----------|----|
| 3450 | Inserts in 6-well plates | 24 | 4.67 | 0.4 | 6/plate | 24 |
| 3452 | Inserts in 6-well plates | 24 | 4.67 | 3.0 | 6/plate | 24 |
| 3460 | Inserts in 12-well plates | 12 | 1.12 | 0.4 | 12/plate | 48 |
| 3462 | Inserts in 12-well plates | 12 | 1.12 | 3.0 | 12/plate | 48 |
| 3470 | Inserts in 24-well plates | 6.5 | 0.33 | 0.4 | 12/plate* | 48 |
| 3472 | Inserts in 24-well plates | 6.5 | 0.33 | 3.0 | 12/plate* | 48 |
| 3464 | Inserts in 24-well plates | 6.5 | 0.33 | 8.0 | 12/plate* | 48 |

*6.5 mm membrane diameter are packaged 12 inserts in a 24-well plate, 4 plates per case.

Costar® Multiple Well Plates

| | | | | | | |
|------|---|---|---|---|---|----|
| 3516 | 6-well clear TC-treated multiple well plates | – | – | – | 1 | 50 |
| 3513 | 12-well clear TC-treated multiple well plates | – | – | – | 1 | 50 |
| 3526 | 24-well clear TC-treated multiple well plates | – | – | – | 1 | 50 |

Falcon® Transparent Inserts, PET Membrane

| | | | | | | |
|--------|----------------------------|------|-----|-----|---|----|
| 353090 | Inserts for 6-well plates | 23.1 | 4.2 | 0.4 | 1 | 48 |
| 353102 | Inserts for 6-well plates | 23.1 | 4.2 | 1.0 | 1 | 48 |
| 353091 | Inserts for 6-well plates | 23.1 | 4.2 | 3.0 | 1 | 48 |
| 353093 | Inserts for 6-well plates | 23.1 | 4.2 | 8.0 | 1 | 48 |
| 353180 | Inserts for 12-well plates | 10.5 | 0.9 | 0.4 | 1 | 48 |
| 353103 | Inserts for 12-well plates | 10.5 | 0.9 | 1.0 | 1 | 48 |
| 353181 | Inserts for 12-well plates | 10.5 | 0.9 | 3.0 | 1 | 48 |
| 353182 | Inserts for 12-well plates | 10.5 | 0.9 | 8.0 | 1 | 48 |
| 353095 | Inserts for 24-well plates | 6.4 | 0.3 | 0.4 | 1 | 48 |
| 353104 | Inserts for 24-well plates | 6.4 | 0.3 | 1.0 | 1 | 48 |
| 353096 | Inserts for 24-well plates | 6.4 | 0.3 | 3.0 | 1 | 48 |
| 353097 | Inserts for 24-well plates | 6.4 | 0.3 | 8.0 | 1 | 48 |

Falcon Translucent, High Density Inserts, PET Membrane

| | | | | | | |
|--------|----------------------------|------|-----|-----|---|----|
| 353493 | Inserts for 6-well plates | 23.1 | 4.2 | 0.4 | 1 | 48 |
| 353092 | Inserts for 6-well plates | 23.1 | 4.2 | 3.0 | 1 | 48 |
| 353494 | Inserts for 12-well plates | 10.5 | 0.9 | 0.4 | 1 | 48 |
| 353292 | Inserts for 12-well plates | 10.5 | 0.9 | 3.0 | 1 | 48 |
| 353495 | Inserts for 24-well plates | 6.4 | 0.3 | 0.4 | 1 | 48 |
| 353492 | Inserts for 24-well plates | 6.4 | 0.3 | 3.0 | 1 | 48 |

Ordering Information (continued)

Falcon® Cell Culture Insert Companion Plates and Lid

| Cat. No. | Description | Membrane Diameter (mm) | Growth Surface Area (cm ²) | Membrane Pore Size (µm) | Qty/Pk | Qty/Cs |
|----------|--|------------------------|--|-------------------------|--------|--------|
| 353502 | 6-well plate, clear, flat bottom, standard TC-treated | – | – | – | 1 | 50 |
| 355467 | 6-well, deep well plate, clear, flat bottom, standard TC-treated | – | – | – | 1 | 4 |
| 353503 | 12-well plate, clear, flat bottom, standard TC-treated | – | – | – | 1 | 50 |
| 353504 | 24-well plate, clear, flat bottom, standard TC-treated | – | – | – | 1 | 50 |

Snapwell™ Inserts*

| | | | | | | |
|------|------------------------------------|----|------|-----|---|----|
| 3407 | PC inserts in 6-well plates | 12 | 1.12 | 0.4 | 6 | 24 |
| 3801 | Clear PET inserts in 6-well plates | 12 | 1.12 | 0.4 | 6 | 24 |

*Diffusion chambers are available through Harvard Apparatus (www.harvardapparatus.com).

Netwell™ Inserts, PET Membrane

| Cat. No. | Description | Membrane Diameter (mm) | Membrane Pore Size (µm) | Color | Qty/Pk | Qty/Cs |
|----------|---------------------------|------------------------|-------------------------|-------|----------|--------|
| 3479 | Inserts in 6-well plates | 24 | 74 | – | 6/plate | 48 |
| 3480 | Inserts in 6-well plates | 24 | 440 | – | 6/plate | 48 |
| 3477 | Inserts in 12-well plates | 15 | 74 | – | 12/plate | 48 |
| 3478 | Inserts in 12-well plates | 15 | 440 | – | 12/plate | 48 |

Netwell Accessories

| | | | | | | |
|------|---|---|---|-------|----|-----|
| 3517 | Netwell reagent Tray | – | – | Black | 25 | 200 |
| 3519 | Netwell reagent Tray | – | – | White | 25 | 200 |
| 3521 | Netwell 6-well carrier kit, for 24 mm inserts | – | – | Clear | 8 | 8 |
| 3520 | Netwell 12-well carrier kit for 15 mm inserts | – | – | Clear | 8 | 8 |

Corning® FluoroBlok™ Cell Culture Inserts for 24-well Plates

| Cat. No. | Description | Membrane Diameter (mm) | Growth Surface Area (cm ²) | Membrane Pore Size (µm) | Qty/Pk | Qty/Cs |
|----------|---|------------------------|--|-------------------------|--------|--------|
| 351151 | Inserts for 24-well plates, PET | 6.4 | 0.3 | 3.0 | 1 | 48 |
| 351152 | Inserts for 24-well plates, PET | 6.4 | 0.3 | 8.0 | 1 | 48 |
| 353504 | 24-well cell culture insert companion plate | – | – | – | 1 | 50 |

Coated Individual Inserts

Corning BioCoat™ Collagen I Cell Culture Inserts, PET Membrane

| | | | | | | |
|--------|-------------------------------|------|-----|-----|----|----|
| 354540 | Inserts in four 6-well plates | 23.1 | 4.2 | 3.0 | 6 | 24 |
| 354444 | Inserts in two 24-well plates | 6.4 | 0.3 | 0.4 | 12 | 24 |
| 354541 | Inserts in two 24-well plates | 6.4 | 0.3 | 3.0 | 12 | 24 |

Corning BioCoat Fibrillar Collagen Cell Culture Inserts, PET Membrane

| | | | | | | |
|--------|-------------------------------|-----|-----|-----|----|----|
| 354474 | Inserts in two 24-well plates | 6.4 | 0.3 | 1.0 | 12 | 24 |
|--------|-------------------------------|-----|-----|-----|----|----|

Corning BioCoat FluoroBlok Fibronectin Cell Culture Inserts, PET Membrane

| | | | | | | |
|--------|--|-----|-----|-----|----|----|
| 354597 | Individual inserts in two 24-well plates | 6.4 | 0.3 | 3.0 | 12 | 24 |
|--------|--|-----|-----|-----|----|----|

Corning BioCoat Cell Environments and Corning BioCoat Matrigel® Invasion Chambers, PET Membrane

| | | | | | | |
|--------|--|------|-----|-----|----|----|
| 354481 | Matrigel invasion chambers in four 6-well plates | 23.1 | 4.2 | 8.0 | 6 | 24 |
| 354480 | Matrigel invasion chambers in two 24-well plates | 6.4 | 0.3 | 8.0 | 12 | 24 |
| 354483 | Growth factor reduced Matrigel invasion chambers in two 24-well plates | 6.4 | 0.3 | 8.0 | 12 | 24 |

Corning BioCoat Intestinal Epithelium Differentiation Environment

| | | | | | | |
|--------|---|-----|-----|-----|-------|----|
| 355057 | Intestinal epithelium differentiation environment, kit Includes: a specially formulated serum-free medium, culture supplements, sodium butyrate, and Corning BioCoat Fibrillar Collagen cell culture inserts. | 6.4 | 0.3 | 1.0 | 1 Kit | 24 |
|--------|---|-----|-----|-----|-------|----|

Corning BioCoat Control Cell Culture Inserts, PET Membrane

| | | | | | | |
|--------|-------------------------------|-----|-----|-----|----|----|
| 354572 | Inserts in two 24-well plates | 6.4 | 0.3 | 0.4 | 12 | 24 |
| 354578 | Inserts in two 24-well plates | 6.4 | 0.3 | 8.0 | 12 | 24 |

Ordering Information (continued)

Transwell®-COL Collagen-coated Inserts, PTFE Membrane

| Cat. No. | Description | Membrane Diameter (mm) | Growth Surface Area (cm ²) | Membrane Pore Size (µm) | Qty/Pk | Qty/Cs |
|----------|----------------------------|------------------------|--|-------------------------|--------|--------|
| 3491* | Inserts and 6-well plates | 24 | 4.67 | 0.4 | 1 | 24 |
| 3493* | Inserts and 12-well plates | 12 | 1.12 | 0.4 | 1 | 24 |
| 3495** | Inserts and 24-well plates | 6.5 | 0.33 | 0.4 | 1 | 24 |

*Includes inserts packaged separately with multiwell plates.

**6.5 mm diameter inserts packaged separately with two 24-well plates.

HTS Insert Plates

HTS Transwell-24 Well Permeable Supports

| | | | | | | |
|------|--|-----|------|-----|----|----|
| 3396 | HTS Transwell-24, individual, polycarbonate (PC) | 6.5 | 0.33 | 0.4 | 1 | 2 |
| 3397 | HTS Transwell-24, bulk, PC | 6.5 | 0.33 | 0.4 | 12 | 12 |
| 3398 | HTS Transwell-24, individual, PC | 6.5 | 0.33 | 3.0 | 1 | 2 |
| 3399 | HTS Transwell-24, bulk, PC | 6.5 | 0.33 | 3.0 | 12 | 12 |
| 3378 | HTS Transwell-24, bulk, PET | 6.5 | 0.33 | 0.4 | 12 | 12 |
| 3379 | HTS Transwell-24, individual, PET | 6.5 | 0.33 | 0.4 | 1 | 2 |
| 3395 | HTS Transwell nontreated reservoir | – | – | – | 12 | 48 |
| 4395 | HTS Transwell-24, TC-treated reservoir with lid | – | – | – | 12 | 48 |

HTS Transwell-96 Well Permeable Supports

| | | | | | | |
|------|---|------|-------|-----|----|----|
| 3381 | HTS Transwell-96 system, reservoir and receiver plates with 2 lids, PC | 4.21 | 0.143 | 0.4 | 1 | 1 |
| 3391 | HTS Transwell-96 system, reservoir and receiver plates with 2 lids, PC | 4.21 | 0.143 | 0.4 | 5 | 5 |
| 7369 | HTS Transwell-96 System reservoir and receiver plates with 2 lids, PET | 4.21 | 0.143 | 0.4 | 5 | 5 |
| 3380 | HTS Transwell-96 system, reservoir and receiver plates with 2 lids, PET | 4.21 | 0.143 | 1.0 | 1 | 1 |
| 3392 | HTS Transwell-96 system, reservoir and receiver plates with 2 lids, PET | 4.21 | 0.143 | 1.0 | 5 | 5 |
| 3385 | HTS Transwell-96 well plate, receiver plate and lid, individual, PC | 4.21 | 0.143 | 3.0 | 1 | 2 |
| 3386 | HTS Transwell-96 well plate, receiver plate and lid, bulk, PC | 4.21 | 0.143 | 3.0 | 4 | 8 |
| 3387 | HTS Transwell-96 well plate, receiver plate and lid, bulk, PC | 4.21 | 0.143 | 5.0 | 4 | 8 |
| 3388 | HTS Transwell-96 well plate, receiver plate and lid, individual, PC | 4.21 | 0.143 | 5.0 | 1 | 2 |
| 3374 | HTS Transwell-96 well plate, receiver plate and lid, individual, PET | 4.21 | 0.143 | 8.0 | 1 | 2 |
| 3384 | HTS Transwell-96 well plate, receiver plate and lid, bulk, PET | 4.21 | 0.143 | 8.0 | 4 | 8 |
| 3382 | HTS Transwell-96 receiver plate with lid, standard TC-treated | – | – | – | 10 | 10 |
| 3383 | HTS Transwell-96 reservoir plate media stabilizer and lid | – | – | – | 10 | 10 |
| 3583 | HTS Transwell-96 black receiver plate with lid, standard TC-treated | – | – | – | 10 | 10 |
| 3783 | HTS Transwell-96 white receiver plate, and lid, standard TC-treated | – | – | – | 10 | 10 |

Falcon® 24-well Insert Systems, PET Membrane

| | | | | | | |
|--------|---|-----|-----|-----|---|---|
| 351181 | Insert plate with feeder tray and lid | 6.4 | 0.3 | 1.0 | 5 | 5 |
| 351183 | Insert plate with 24-well plate and lid | 6.4 | 0.3 | 3.0 | 5 | 5 |
| 351185 | Insert plate with 24-well plate and lid | 6.4 | 0.3 | 8.0 | 5 | 5 |

Falcon Plates

| | | | | | | |
|--------|--|---|---|---|-------------|----|
| 353047 | 24-well plate, standard TC-treated | – | – | – | 1 | 50 |
| 353226 | 24-well plate, standard TC-treated | – | – | – | 6 | 36 |
| 353935 | 24-well plate, standard TC-treated | – | – | – | 10/RS Tray* | 60 |
| 353847 | 24-well plate, Corning Primaria™ surface | – | – | – | 1 | 50 |
| 351147 | 24-well plate, not treated surface | – | – | – | 1 | 50 |
| 351186 | Feeder tray with lid | – | – | – | 5 | 5 |

*Ready-Stack Tray

Ordering Information (continued)

Falcon® 96-well Insert System, PET Membrane

| Cat. No. | Description | Membrane Diameter (mm) | Growth Surface Area (cm ²) | Membrane Pore Size (µm) | Qty/Pk | Qty/Cs |
|----------|--|------------------------|--|-------------------------|--------|--------|
| 351131 | Insert plate with feeder tray and lid | 3.2 | 0.08 | 1.0 | 5 | 5 |
| 353938 | Insert plates with 96 square well, angled-bottom plates and lids | 3.2 | 0.08 | 1.0 | 5 | 5 |
| 353925 | 96 square well, angled-bottom plates and lids | – | – | – | 5 | 5 |
| 353924 | 96-well feeder tray and lid | – | – | – | 5 | 5 |

Corning® FluoroBlok™ 24 Multiwell Insert Systems, PET Membrane

| | | | | | | |
|--------|---|-----|-----|-----|---|---|
| 351156 | Insert plate with 24-well plate and lid | 6.4 | 0.3 | 3.0 | 5 | 5 |
| 351157 | Insert plate with 24-well plate and lid | 6.4 | 0.3 | 8.0 | 1 | 1 |
| 351158 | Insert plate with 24-well plate and lid | 6.4 | 0.3 | 8.0 | 5 | 5 |

Corning FluoroBlok 96-well Multiwell Insert Systems, PET Membrane

| | | | | | | |
|--------|---|-----|------|-----|---|---|
| 351161 | Insert plate with 96 square well and lid | 3.2 | 0.08 | 3.0 | 1 | 1 |
| 351162 | Insert plate with 96 square well and lid | 3.2 | 0.08 | 3.0 | 5 | 5 |
| 351163 | Insert plate with 96 square well and lid | 3.2 | 0.08 | 8.0 | 1 | 1 |
| 351164 | Insert plate with 96 square well and lid | 3.2 | 0.08 | 8.0 | 5 | 5 |
| 353928 | 96 square well, flat bottom plate and lid | - | - | - | 5 | 5 |

Corning BioCoat™ HTS Caco-2 Assay System, PET Membrane

Contains specially formulated serum-free medium, culture supplements, sodium butyrate, and BioCoat Fibrillar Collagen 24-well insert system

| | | | | | | |
|--------|---------------------------------|-----|-----|-----|---|---|
| 354802 | BioCoat HTS Caco-2 assay system | 6.4 | 0.3 | 1.0 | 5 | 5 |
|--------|---------------------------------|-----|-----|-----|---|---|

Corning BioCoat Fibrillar Collagen I 24-Multiwell Insert System, PET Membrane

| | | | | | | |
|--------|--------------------------|-----|-----|-----|---|---|
| 354803 | With feeder tray and lid | 6.4 | 0.3 | 1.0 | 1 | 1 |
| 354804 | With feeder tray and lid | 6.4 | 0.3 | 1.0 | 1 | 5 |

Corning BioCoat Angiogenesis System: Endothelial Cell Migration, FluoroBlok PET Membrane, Fibronectin coated

| | | | | | | |
|--------|----------------------------|-----|------|-----|---|---|
| 354144 | 24 Multiwell insert system | 6.4 | 0.3 | 3.0 | 5 | 5 |
| 354148 | 96 Multiwell insert system | 3.2 | 0.08 | 3.0 | 5 | 5 |

Corning BioCoat Angiogenesis System: Endothelial Cell Invasion, FluoroBlok PET Membrane, Corning Matrigel® Matrix coated

| | | | | | | |
|--------|----------------------------|-----|-----|-----|---|---|
| 354142 | 24 Multiwell insert system | 6.4 | 0.3 | 3.0 | 5 | 5 |
|--------|----------------------------|-----|-----|-----|---|---|

Corning BioCoat (Matrigel matrix) Tumor Invasion Systems, FluoroBlok PET Membrane

| | | | | | | |
|--------|----------------------------|-----|------|-----|---|---|
| 354165 | 24 Multiwell insert system | 6.4 | 0.3 | 8.0 | 1 | 1 |
| 354166 | 24 Multiwell insert system | 6.4 | 0.3 | 8.0 | 5 | 5 |
| 354167 | 96 Multiwell insert system | 3.2 | 0.08 | 8.0 | 1 | 1 |
| 354168 | 96 Multiwell insert system | 3.2 | 0.08 | 8.0 | 1 | 5 |

Corning BioCoat Pre-coated PAMPA Plate System

| | | | | | | |
|--------|---|-----|---|-----|---|---|
| 353015 | 96-well polyvinylidene difluoride (PVDF) insert system pre-coated with structured layers of phospholipids | 3.2 | – | 0.4 | 1 | 5 |
|--------|---|-----|---|-----|---|---|

Corning Human Umbilical Vein Endothelial Cells

| | | | | | | |
|--------|---|---|---|---|---|---|
| 354151 | Corning Human Umbilical Vein Endothelial Cells (>5 x 10 ⁵ cells) | – | – | – | 1 | 1 |
|--------|---|---|---|---|---|---|

Corning Fluorescent Dyes

| Cat. No. | Description | – | – | Size | Qty/Pk | Qty/Cs |
|----------|---|---|---|--------|--------|--------|
| 354218 | Corning DiIc12(3) fluorescent dye | – | – | 100 mg | 1 | 1 |
| 354216 | Calcein AM fluorescent dye (10 x 50 µg) | – | – | 50 µg | 1 | 10 |
| 354217 | Calcein AM fluorescent dye | – | – | 1 mg | 1 | 1 |

Corning BioCoat Angiogenesis System: Endothelial Cell Tube Formation

| | | | | | | |
|--------|---|---|---|---|---|---|
| 354149 | Corning BioCoat Angiogenesis System: Endothelial Cell Tube Formation, 96-well black/clear bottom microplate | – | – | – | 1 | 1 |
| 354150 | Corning BioCoat Angiogenesis System: Endothelial Cell Tube Formation, 96-well black/clear bottom microplate | – | – | – | 5 | 5 |

Additional Resources

Below is a sampling of the many resources available for permeable support users. Visit www.corning.com/lifesciences to access these documents, videos, and more.

Representative Technical Documents

- ▶ Human Airway Epithelial Cell Culture and COVID-19 Research (Corning App Note CLS-AN-599)
- ▶ An Novel Three-Dimensional Immune Oncology Model for High Throughput Testing of Tumoricidal Capability (Corning App Note CLS-AN-425)
- ▶ An Novel Three-Dimensional Glioma Blood Brain Barrier Model for High Throughput Testing of Tumoricidal Capability (Corning App Note CLS-AN-505)
- ▶ A Novel Spheroid-based Three-Dimensional Invasion Model for Evaluating Potentially Anti-tumor Compounds (Corning Poster CLS-PST059)
- ▶ Kidney Organoid Formation on Transwell Permeable Supports from Corning (Corning Protocol CLS-AN-556)
- ▶ Citations Summary for Transwell Permeable Supports from Corning - Studying COVID-19 at the Air-Liquid Interface (Corning Summary CLS-AN-605)
- ▶ Automated, Kinetic Imaging of Cell Migration and Invasion Assays Using Corning® FluoroBlok™ Inserts (Corning App Note CLS-DL-AC-AN-310)
- ▶ Compatible Fluorophores and Dyes for Corning FluoroBlok Inserts and Insert Systems (Corning Tech Bulletin CLS-DL-CC-077)
- ▶ Considerations when Optimizing your Chemotaxis or Invasion Assay with Corning Transwell Permeable Supports (Corning App Note CLS-AN-188)
- ▶ Design and Evaluation of an Automation-compatible Multiwell Insert for Cell-based Assay (Corning Tech Bulletin CLS-DL-CC-072)
- ▶ *In Vitro* Study of Cytokine-mediated Activation of Endothelial Cell Permeability Using Falcon® Cell Culture Permeable Supports (Corning Tech Bulletin CLS-DL-CC-068)
- ▶ Migration of Human Mesenchymal Stem Cells using Corning FluoroBlok Inserts (Corning App Note CLS-DL-CC-054)
- ▶ New PET Membrane for Corning FluoroBlok 3.0 µm and 8.0 µm Pore Size Cell Culture Inserts (Corning Tech Bulletin CLS-DL-CC-042)
- ▶ Preparation of Falcon Cell Culture Permeable Supports for Confocal Indirect Immuno-fluorescence: Fixation and Staining of Caco-2/bbe (C2) Cells with Various Dyes (Corning Tech Bulletin CLS-DL-CC-079)
- ▶ Screening of Anti-metastatic Compounds by a Fluorescence-based Tumor Cell Invasion Assay (Corning Tech Bulletin CLS-DL-CC-076)
- ▶ Use of Falcon Cell Culture Permeable Supports to Reconstruct a Differentiated Human Epidermis *In Vitro* (Corning Tech Bulletin CLS-DL-CC-066)
- ▶ ATCC® Human Bronchial/Tracheal Epithelial Cells and Falcon Permeable Supports: Improving Functional Studies (Corning App Note CLS-F-AN-328)
- ▶ Corning Matrigel Matrix-coated Transwell Permeable Supports for Enhancing Hepatocyte Differentiation from Human Embryonic Stem Cells (Corning App Note CLS-DL-AN-372)

For more specific information on claims, visit www.corning.com/certificates.

Warranty/Disclaimer: Unless otherwise specified, all products are for research use or general laboratory use only.* Not intended for use in diagnostic or therapeutic procedures. Not for use in humans. Corning Life Sciences makes no claims regarding the performance of these products for clinical or diagnostic applications. *NOTE: The following products and their sterile accessories are considered US class I medical devices: Tissue culture plates, flasks and dishes (area >100 cm²), multilayer flasks, spinner flasks, Erlenmeyer flasks, Corning HYPERFlask® vessels, Corning CellSTACK® chambers, centrifuge tubes, cell culture tubes, cryogenic vials, roller bottles, microcarrier beads. Falcon IVF products are US class II and CE marked per the EU medical device directive 93/42/EEC.



in Australia please contact
Bio-Strategy Part of DKSH
T: 1800 008 453 | E: sales.au@bio-strategy.com
<http://www.bio-strategy.com> | <http://shop.bio-strategy.com>

CORNING

Corning Incorporated
Life Sciences

www.corning.com/lifesciences

NORTH AMERICA

t 800.492.1110
t 978.442.2200

ASIA/PACIFIC

Australia/New Zealand

t 61 427286832

Chinese Mainland

t 86 21 3338 4338

India

t 91 124 4604000

Japan

t 81 3-3586 1996

Korea

t 82 2-796-9500

Singapore

t 65 6572-9740

Taiwan

t 886 2-2716-0338

EUROPE

CSEurope@corning.com

France

t 0800 916 882

Germany

t 0800 101 1153

The Netherlands

t 020 655 79 28

United Kingdom

t 0800 376 8660

All Other European Countries

t +31 (0) 206 59 60 51

LATIN AMERICA

grupoLA@corning.com

Brazil

t 55 (11) 3089-7400

Mexico

t (52-81) 8158-8400