


Mettler Toledo ME-T Standard Balance

Easy-to-use balances with an intuitive touchscreen and a long lifespan thanks to metal base with chemically resistant housing.

- Overload protection
- Robust performance
- 4.5" colour touchscreen
- Easy data transfer: USB, RS232 and optional Bluetooth
- Warranty: 1 year

On Sale!



Description	Code	Price	Sale
Analytical Balances			
ME54T Analytical Balance with Touchscreen 52g x 0.1mg	METB30216540	\$2,892	\$2,678
ME104T Analytical Balance with Touchscreen 120g x 0.1mg	METB30216541	\$3,279	\$3,036
ME204T Analytical Balance with Touchscreen 220g x 0.1mg	METB30216542	\$3,548	\$3,286
Precision Balances			
ME103T Precision Balance with Touchscreen 120g x 0.001g	METB30216545	\$2,084	\$1,929
ME203T Precision Balance with Touchscreen 220g x 0.001g	METB30216547	\$2,287	\$2,118
ME303T Precision Balance with Touchscreen 320g x 0.001g	METB30216550	\$2,594	\$2,402
ME403T Precision Balance with Touchscreen 420g x 0.001g	METB30216554	\$2,826	\$2,616
ME503T Precision Balance with Touchscreen 520g x 0.001g	METB30243388	\$3,492	\$3,233
ME1002T Precision Balance with Touchscreen 1200g x 0.01g	METB30216558	\$1,989	\$1,842
ME2002T Precision Balance with Touchscreen 2200g x 0.01g	METB30216560	\$2,363	\$2,188
ME3002T Precision Balance with Touchscreen 3200g x 0.01g	METB30216562	\$2,684	\$2,485
ME4002T Precision Balance with Touchscreen 4200g x 0.01g	METB30216564	\$3,222	\$2,984
ME5002T Precision Balance with Touchscreen 5200g x 0.01g	METB30243383	\$3,808	\$3,526
ME4001T Precision Balance with Touchscreen 4200g x 0.1g	METB30216567	\$2,268	\$2,100

Contact us for more information
and to place your orders

Bio-Strategy Pty Ltd.

T: 1800 008 453

E: sales.au@bio-strategy.com

www.bio-strategy.com

shop.bio-strategy.com

 [linkedin.com/company/bio-strategy](https://www.linkedin.com/company/bio-strategy)

VALID UNTIL:
30 June 2021

Ref. Code:
METB-MET

Prices and discounts may be subject to change and only available while stocks last. Not valid with any other special offer or discounts and cannot be applied in retrospect. All prices in AUD excluding GST and local delivery charges. Products advertised may be for research use only (RUO) or in vitro diagnostic use (IVD). Please refer to manufacturer's product insert for further information. For product use outside of that specified on the manufacturer's labelling and/or instructions for use, Bio-Strategy does not take responsibility.

For Your Essential Needs Worry-Free Weighing



Intuitive Touch Operation

The unit's bright 4.5" color TFT touch-screen with clear icons and intuitive guidance enables users to operate it quickly—even while wearing cloth or rubber gloves. Multilingual text and graphics walk you through every step of your weighing procedures.



Accuracy Ensured

An Electromagnetic Force Compensation (EMFC) weighing cell with FACT technology automatically adjusts the balance whenever there is a change in ambient temperature, ensuring your results remain accurate and reliable. Built-in overload protection helps to ensure long balance life.




Easy to Use

Ten embedded applications including checkweighing, totaling and formulation allow operators to start working right away. Sample IDs and passcode protection make sure settings are not changed by unauthorized personnel.



Easy Data Handling

Multiple interfaces support barcode reader, printer and PC connections for easy traceability and data handling. USB and RS232 connectivity along with an optional Bluetooth adapter simplify data upload and transfer.



ME-T Precision Balances

Essential Functionality, Solid Performance

Whether you work on a factory floor or in a lab, you need a balance that combines essential weighing functions with ease of use to deliver accurate and reliable results day after day.

METTLER TOLEDO's ME-T precision balances are ideal for routine weighing procedures. An intuitive touchscreen makes daily tasks as simple as possible while built-in features give operators everything they need to weigh with the accuracy, repeatability and traceability required.

The metal base housing and a high quality finish make ME-T robust enough for tough environments, while smooth surfaces make it easy to maintain and clean. This versatile scale is built to perform—and last!

Technical Specifications	ME103T	ME203T	ME303T	ME403T	ME503T	ME1002T	ME2002T	ME3002T	ME4002T	ME5002T	ME4001T
--------------------------	--------	--------	--------	--------	--------	---------	---------	---------	---------	---------	---------

Limit Values

Capacity	120 g	220 g	320 g	420 g	520 g	1,200 g	2,200 g	3,200 g	4,200 g	5,200 g	4,200 g
Readability	1 mg	1 mg	1 mg	1 mg	1 mg	0.01 g	0.01 g	0.01 g	0.01 g	0.01 g	0.1 g
Repeatability (at 5% load)	1 mg	1 mg	1 mg	1 mg	1 mg	0.01 g	0.01 g	0.01 g	0.01 g	0.01 g	0.1 g
Linearity deviation	2 mg	2 mg	2 mg	2 mg	2 mg	0.02 g	0.02 g	0.02 g	0.02 g	0.02 g	0.2 g

Typical Values

Repeatability (at 5% load)	0.7 mg	0.7 mg	0.7 mg	0.7 mg	0.7 mg	0.007 g	0.007 g	0.007 g	0.007 g	0.007 g	0.07 g
Linearity deviation	0.6 mg	0.6 mg	0.6 mg	0.6 mg	0.6 mg	0.006 g	0.006 g	0.006 g	0.006 g	0.006 g	0.07 g
Sensitivity offset (at nominal load)	2 mg (50 g)	2 mg (200 g)	2 mg (300 g)	3.5 mg (400 g)	3.5 mg (500 g)	0.018 g (1,000 g)	0.018 g (2,000 g)	0.018 g (3,000 g)	0.024 g (4,000 g)	0.024 g (5,000 g)	0.24 g (4,000 g)
Minimum weight (USP, tolerance = 0.10%)	1,400 mg	1,400 mg	1,400 mg	1,400 mg	1,400 mg	14 g	14 g	14 g	14 g	14 g	140 g
Minimum weight (tolerance = 1%)	140 mg	140 mg	140 mg	140 mg	140 mg	1.4 g	1.4 g	1.4 g	1.4 g	1.4 g	14 g
Settling time	1.5 s	1.5 s	1.5 s	1.5 s	1.5 s	1.5 s	1.5 s	1.5 s	1.5 s	1.5 s	1 s


Dimensions

Weighing pan (mm)	∅ 120	∅ 120	∅ 120	∅ 120	∅ 120	180×180	180×180	180×180	180×180	180×180	180×180
Balance size, W×D×H (mm)	210×319×289	210×319×289	210×319×289	210×319×289	210×319×289	200×319×100	200×319×100	200×319×100	200×319×100	200×319×100	200×319×100

Models without internal test weights are also available (ExCal).

Features

Accurate Results	Electromagnetic Force Compensation (EMFC)
	FACT automatic internal adjustment
	Metal base
	OIML/NTEP approved
Efficient Operation	Bright 4.5" color TFT touchscreen
	10 built-in applications
	Front level indicator
	Statistical data analysis
	Overload protection
Quality	Input of up to 4 sample IDs
	Passcode protection
	15 available languages
Connectivity	3 interfaces: USB device, USB host, RS232
	Bluetooth option
	Built-in PC direct function for easy data transfer



METTLER TOLEDO balances can be customized with accessories and peripheral devices to meet the needs of virtually any application. Our carefully designed accessories make your work easier, convenient and help increase efficiency.

For further information on accessories, please visit
www.mt.com/lab-accessories